# Avaya Aura® Messaging 6.3 Telephone User Interface Voluntary Product Accessibility Template (VPAT)

Three different DTMF ("touch-tone") telephone user interface styles are supported by Avaya Aura Messaging 6.3: AUDIX®, Aria®, and CallPilot®. The statements in this document refer to the AUDIX telephone user interface. This interface is winner of the Access Innovation Award from the Association of Access Engineering Specialists.

The Avaya Aura Messaging 6.3 telephone user interface includes Avaya one-X® Speech software licenses, thereby allowing many messaging and call-control functions to be accessed by voice command. In addition, Avaya Speech to Text is available as an optional feature of Avaya Aura Messaging 6.3. This adjunct allows voice messages to be converted automatically into text email or mobile phone messages, thereby allowing the messages to be accessed more easily by people who are deaf or hard of hearing.

#### Support Levels

| Support Level  | Description   |  |
|--|---|--|
| Supports   | Avaya Aura Messaging fully meets the letter and intent of the criterion.  |  |
| Supports with Exceptions/Minor Exceptions                    | Avaya Aura Messaging does not fully meet the letter and intent of the criterion, but provides some level of access relative to the criterion. |  |
| Supports through Equivalent Facilitation                     | Avaya Aura Messaging provides an alternate way to meet the intent of the criterion.   |  |
| Supports when combined with Compatible Assistive Technology  | Avaya Aura Messaging fully meets the letter and intent of the criterion when used in combination with compatible assistive technology.        |  |
| Does Not Support   | Avaya Aura Messaging does not meet the letter or intent of the criterion.   |  |
| Not Applicable   | The criterion does not apply.   |  |
| Not Applicable –<br>Fundamental Alteration Exception Applies | A fundamental alteration of Avaya Aura Messaging is required to meet the criterion.   |  |

#### **Compliance Summary**

| Criteria   | Support Levels |
|--|----------------|
| Section 1194.21 Software Applications and Operating Systems                  | Not applicable |
| Section 1194.22 Web-based Intranet and Internet Information and Applications | Not applicable |
| Section 1194.23 Telecommunications Products                                  | Supports       |
| Section 1194.24 Video and Multi-media Products                               | Not applicable |
| Section 1194.25 Self-Contained, Closed Products                              | Not applicable |
| Section 1194.26 Desktop and Portable Computers                               | Not applicable |
| Section 1194.31 Functional Performance Criteria                              | Supports       |
| Section 1194.41 Information, Documentation and Support                       | Supports       |

## § 1194.23 Telecommunications Products

| Criteria  | Support Levels | Remarks and Explanations   |
|---|----------------|--|
| 1194.23(a) Telecommunications products or systems which provide a function allowing voice communication and which do not themselves provide a TTY functionality shall provide a standard non-acoustic connection point for TTYs. Microphones shall be capable of being turned on and off to allow the user to intermix speech with TTY use. | Supports       | With regard to provision of a non-acoustic connection point for TTYs, all end-user communication with Avaya Aura Messaging 6.3 is via standard telephone lines or via standard LAN or web connections.  With regard to intermixing speech and TTY use, nearly half of the people who use TTYs do so in a mixed-mode fashion, the most common being people who are hard of hearing but still able to speak clearly. These individuals often prefer to receive on their TTYs and then speak in response, a process commonly referred to as Voice Carry Over or VCO. For this reason, Avaya Aura Messaging 6.3 allows callers to select |
|   |                | whether they wish to be prompted by voice or by TTY, and then, regardless of whether voice or TTY prompting is being used, users may leave a voice or TTY message. For example, even when the system is presenting menus in TTY format, users are able to leave a voice message.  This ability of callers to select whether they wish to be prompted by voice or in TTY format means that it is not necessary to provide separate  |
|   |                | inbound phone numbers or separate mailboxes to employees who will be receiving both voice and TTY calls.   |
| 1194.23(b) Telecommunications products, which include voice communication functionality, shall support all commonly used crossmanufacturer non-proprietary  | Supports       | The only TTY protocol that the US Access Board presently requires in messaging systems is TIA/EIA 825, commonly referred to as 45.45 baud Baudot signaling.  |
| standard TTY signal protocols.  |                | NOTE: Avaya Aura Messaging 6.3 permits system administrators to choose from among different audio encoding algorithms. It may be necessary to select G.711 audio encoding, rather than G.729, in order to ensure reliable support for TTY messaging.   |

| 1194.23(c) Voice mail, auto-<br>attendant, and interactive voice<br>response telecommunications<br>systems shall be usable by TTY<br>users with their TTYs.   | Supports | Avaya Aura Messaging 6.3 is operable with TTYs in pure TTY mode or in a mixed TTY-and-voice mode, such as VCO (Voice Carry Over). Full TTY compatibility is provided for all telephone-access functions, including the subscriber user interface, call-answer user interface, and auto-attendant functions. In addition, mailboxes are accessible via fully featured graphical user interfaces, thereby further facilitating use by individuals with hearing impairments.  The Avaya Aura Messaging system permits mailboxes to be configured with different telephone user interface styles. One of the options, the AUDIX user interface, is winner of the Access Innovation Award from the Association of Access Engineering Specialists.  NOTE: It has been our experience that most of the auto-attendant scripts that operate on Avaya platforms have been implemented by the managers of the systems, rather than by Avaya. For this reason, in many auto-attendant applications, it will be the purchaser's responsibility to ensure conformance with this accessibility standard. |
|---|----------|--|
| 1194.23(d) Voice mail, messaging, auto-attendant, and interactive voice response telecommunications systems that require a response from a user within a time interval, shall give an alert when the time interval is about to run out, and shall provide sufficient time for the user to indicate more time is required. | Supports | In addition to satisfying this requirement, Avaya Aura Messaging 6.3 permits the time-out interval to be adjusted by the system administrator.   |
| 1194.23(e) Where provided, caller identification and similar telecommunications functions shall also be available for users of TTYs, and for users who cannot see displays.   | Supports | When a message-sender's ID information is obtained by Avaya Aura Messaging 6.3, it is accessible to the mailbox owner visually via LAN-or web-based graphical user interfaces, visually via the TTY user interface, and aurally via the telephone user interface.  |

| 1194.23(f) For transmitted voice signals, telecommunications products shall provide a gain adjustable up to a minimum of 20 dB. For incremental volume control, at least one intermediate step of 12 dB of gain shall be provided.                               | Not Applicable | This requirement does not apply to the Avaya Aura Messaging 6.3 telephone user interface because none of the commonly accepted standards for voice communication between telephones and associated back-office equipment (such as voicemail servers) has 20 dB of amplitude headroom available. Under typical conditions, the maximum additional gain in the output of back-office systems, without introducing unacceptable levels of distortion, is approximately 10 dB – the amount provided by Avaya Aura Messaging 6.3. Users who require higher levels of amplification can access the system via endpoints that provide additional amplification, such as any Avaya telephone or any soundcard-equipped PC that supports the Avaya Aura Messaging LAN- or web-based user interfaces. |
|--|----------------|---|
| 1194.23(g) If the telecommunications product allows a user to adjust the receive volume, a function shall be provided to automatically reset the volume to the default level after every use.  | Supports       | All audio adjustments, made during a call by sending appropriate DTMF ("touch-tone") commands to the Avaya Aura Messaging 6.3, are reset automatically to the default level when the call is completed.  Note that, in addition to amplitude and the call-answer prompting language, the playback speed of messages and prompts is user-adjustable. The ability to adjust the playback rate can be helpful to people who have trouble understanding speech when it is presented at a normal rate, such as people who are hard-of-hearing, people who are not fluent in the language being spoken, and people with cognitive disabilities.   |
| 1194.23(h) Where a telecommunications product delivers output by an audio transducer which is normally held up to the ear, a means for effective magnetic wireless coupling to hearing technologies shall be provided.   | Not Applicable | Avaya Aura Messaging 6.3 systems do not have audio transducers. There is no aspect of Avaya Aurar Messaging 6.3 that would interfere with the ability of a transducer-equipped device (e.g., a telephone handset) to conform to this requirement.   |
| 1194.23(i) Interference to hearing technologies (including hearing aids, cochlear implants, and assistive listening devices) shall be reduced to the lowest possible level that allows a user of hearing technologies to utilize the telecommunications product. | Not Applicable | The physical components of Avaya Aura Messaging 6.3 systems are not co-located with the users. There is no aspect of Avaya Aura Messaging 6.3 that would interfere with the ability of a transducer-equipped device (e.g., a telephone handset) to conform to this requirement.   |

| 1194.23(j) Products that transmit or conduct information or communication, shall pass through cross-manufacturer, non-proprietary, industry-standard codes, translation protocols, formats or other information necessary to provide the information or communication in a usable format. Technologies which use encoding, signal compression, format transformation, or similar techniques shall not remove information needed for access or shall restore it upon delivery. | Supports       | Please refer to the Remarks and Explanations for 1194.23(b).  |
|---|----------------|---|
| 1194.23(k)(1) Products which have mechanically operated controls or keys shall comply with the following: Controls and Keys shall be tactilely discernible without activating the controls or keys.   | Not Applicable | Avaya Aura Messaging 6.3 is operated via the controls and keys of the user's endpoint device, e.g., the user's telephone or desktop computer.   |
| 1194.23(k)(2) Products which have mechanically operated controls or keys shall comply with the following: Controls and Keys shall be operable with one hand and shall not require tight grasping, pinching, twisting of the wrist. The force required to activate controls and keys shall be 5 lbs. (22.2N) maximum.  | Not Applicable | Avaya Aura Messaging 6.3 is operated via the controls and keys of the user's endpoint device, e.g., the user's telephone or desktop computer.   |
| 1194.23(k)(3) Products which have mechanically operated controls or keys shall comply with the following: If key repeat is supported, the delay before repeat shall be adjustable to at least 2 seconds. Key repeat rate shall be adjustable to 2 seconds per character.  | Supports       | There are no key repeat functions in the Avaya Aura Messaging 6.3 telephone user interface.   |
| 1194.23(k)(4) Products which have mechanically operated controls or keys shall comply with the following: The status of all locking or toggle controls or keys shall be visually discernible, and discernible either through touch or sound.  | Supports       | The status of all toggled functions associated with Avaya Aura Messaging 6.3, such as whether the message being created by the user is marked Private or Priority, is accessible by voice output through the standard telephone user interface, and is visually discernible by TTY users. |

## § 1194.31 Functional Performance Criteria

| Criteria   | Support Levels | Remarks and Explanations   |
|--|----------------|--|
| 1194.31(a) At least one mode of operation and information retrieval that does not require user vision shall be provided, or support for assistive technology used by people who are blind or visually impaired shall be provided.  | Supports       | The Avaya Aura Messaging 6.3 telephone user interface is an audio-only interface that is operable without user vision.   |
| 1194.31(b) At least one mode of operation and information retrieval that does not require visual acuity greater than 20/70 shall be provided in audio and enlarged print output working together or independently, or support for assistive technology used by people who are visually impaired shall be provided. | Supports       | The Avaya Aura Messaging 6.3 telephone user interface is an audio-only interface that is operable without user vision.   |
| 1194.31(c) At least one mode of operation and information retrieval that does not require user hearing shall be provided, or support for assistive technology used by people who are deaf or hard of hearing shall be provided.  | Supports       | The Avaya Aura Messaging 6.3 telephone user interface is operable with TTYs in pure TTY mode or in a mixed TTY-and-voice mode, such as VCO (Voice Carry Over). Full TTY compatibility is provided for all telephone-access functions, including the subscriber user interface, call-answer user interface, and auto-attendant functions. In addition, mailboxes are accessible via fully featured graphical user interfaces, thereby further facilitating use by individuals with hearing impairments. |
| 1194.31(d) Where audio information is important for the use of a product, at least one mode of operation and information retrieval shall be provided in an enhanced auditory fashion, or support for assistive hearing devices shall be provided.  | Supports       | The amplitude and playback speed of prompts and messages is user-adjustable. (The ability to adjust the playback speed can be helpful to people who have trouble understanding speech when it is presented at a normal rate, such as people who are hard-of-hearing, people who are not fluent in the language being spoken, and people with cognitive disabilities.)  |
| 1194.31(e) At least one mode of operation and information retrieval that does not require user speech shall be provided, or support for assistive technology used by people with disabilities shall be provided.   | Supports       | All functions that are presented by the Avaya Aura Messaging 6.3 telephone user interface are accessible via DTMF ("touch tone") key presses on the user's telephone dial pad.  Please note also that people who are unable to speak are nevertheless able to send messages by utilizing the TTY user interface.   |

| 1194.31(f) At least one mode of     | Supports | All functions that are presented by the Avaya Aura |
|-------------------------------------|----------|--|
| operation and information retrieval |          | Messaging 6.3 telephone user interface are         |
| that does not require fine motor    |          | accessible via DTMF ("touch tone") key presses     |
| control or simultaneous actions and |          | on the user's telephone dial pad. No operations    |
| that is operable with limited reach |          | require two or more keys to be pressed             |
| and strength shall be provided.     |          | simultaneously.                                    |

### § 1194.41 Information, Documentation and Support

| Criteria   | Support Levels | Remarks and Explanations   |
|--|----------------|--|
| 1194.41(a) Product support documentation provided to end-users shall be made available in alternate formats upon request, at no additional charge  | Supports       | Will provide upon request.   |
| 1194.41(b) End-users shall have access to a description of the accessibility and compatibility features of products in alternate formats or alternate methods upon request, at no additional charge. | Supports       | Will provide upon request.   |
| 1194.41(c) Support services for products shall accommodate the communication needs of end-users with disabilities.   | Supports       | Avaya's point-of-contact for accessibility-related issues:  Dr. Paul R. Michaelis Voice: 303-538-4101 TTY: 303-538-3740 prmichaelis-at-avaya.com |

### © 2014 Avaya Inc.

All rights reserved. Except as specifically stated, none of the material may be copied, reproduced, distributed, republished, downloaded, displayed, posted, or transmitted in any form without authorized, prior written permission from Avaya Inc. Permission is granted for you to make a single copy of Avaya Inc. "Section 508" documents, solely for informational and non-commercial use within your organization, provided that you keep intact all copyright and other proprietary notices. No other use of the information provided is authorized.

This market information is provided, pursuant to FAR Part 39.2, to be used by Requiring Officers. It is not intended to represent a certification for compliance. Any statement of compliance or conformance indicated on this document is an indication that the product shall be capable, at the time of its delivery, when used in accordance with Avaya's associated documents, and other written information provided to the government, of providing comparable access to individuals with disabilities consistent with the designated provision of the Standards, provided that any assistive technologies used with the product properly interoperates with it and other assistive technologies.

Updated March 14, 2014